

Reasons to Consider Alternatives



- ❖ Reduced availability of straw prolonged wet weather during harvest
- Increased price of straw
- Straw that is available is of a poorer quality
- Earlier housing of stock so longer period of winter housing
- Likelihood that more bedding will be required this winter housing period due to wet silages
- ❖ Health & Welfare







Alternatives Available



Woodchips
Woodfines
Sawdust
Shavings
Sand
Peat
Rape/Oat straw



ADVISORY













Woodfines





- Finely chopped recycled wood pallets, offcuts etc.
- Readily available from an Aberdeenshire based company
- Sold as different grades depending on process of removing contaminants
- $\ \ \, \ \ \,$ £28 £33/t depending on grade







Woodchips





- Generally softwood varieties used
- Widely used by the equestrian industry
- Biomass boilers have increased the demand
- ❖ £65 £100/t







Shavings & Sawdust





- Usually available from local sawmills
- Widely used by the equestrian industry
- Shavings more commonly used for small animal bedding
- ❖ £65 -75/t







Guide to Bedding Materials



	Physical Structure	Drainage	Mucking Out Interval	Fertiliser Value	Frequency of Bedding	Spreadability
Barley straw Oat straw Wheat straw	***	****	6 months	****	1-2 days	***
Rape straw	****	****	6 months	***	1-2 days	**
Sawdust	*	****	1 - 2 months	*	In/out	**
Shavings	**	****	2 - 3 months	*	In/out	**
Woodfines	***	****	2 - 3 months	*	In/out	**
Wood Chips	****	****	6 months+	*	In/out	*
Peat	***	****	1 - 2 months	****	2 - 3 weeks	***
Sand	***	****	2 - 3 months	**	In/out	*

Star rating from ***** = Excellent to * = Poor







Considerations if using an alternative bedding;



- Cattle will still require a form of roughage
- Bedding material must be free from contaminants
- Some products require composting before being spread onto the land
- Storage







