




**FARM  
ADVISORY  
SERVICE**



# **Stronsay Nutrient Network Farm Meeting**

## **20-08-18**

# Managing Soil Drainage and Compaction in Pasture


## Key factors for movement of water in the soil

- Soil Texture
- Soil Structure
- Soil Compaction

# Soil Texture

# What is Soil?


Typical soil make-up



# Soil Texture

- It describes the physical composition of the soil
  - % of sand, silt and clay
- Refers to the mineral fragments of the soil only
  - water and organic material are not considered
  - only considers particles <2mm
- Texture is a stable soil property - does not change measurably over a long period of years

# Soil texture classes





# Soil texture & water

- The sizes of pores in a soil are related to its texture
  - Sands have large pores
  - Clays have small pores
- Large pores allow free drainage
  - Sandy soils drain more easily than clays
- Small pores store water
  - Clay soils have a bigger water holding capacity than sandy soils




# Water in soil





















- **Gravitational water**
  - drains freely from large pores
  - only available to plants for a short time
- **Capillary water**
  - held in small pores
  - available for plants
- **Hygroscopic water**
  - held tightly around small particles
  - not available to plants

# Soil Structure

# Soil structure: the importance of macropores

- Macropores and cracks : allow water infiltration and drainage, keep the soil aerated reducing nitrous loss and increase water uptake and crop yield.



Structure quality	Size and appearance of aggregates	Visible porosity and Roots	Appearance after break-up: various soils	Appearance after break-up: same soil different tillage	Distinguishing feature	Appearance and description of natural or reduced fragment of ~ 1.5 cm diameter
<b>Sq1 Friable</b>  Aggregates readily crumble with fingers	Mostly < 6 mm after crumbling	Highly porous  Roots throughout the soil			 Fine aggregates	 The action of breaking the block is enough to reveal them. Large aggregates are composed of smaller ones, held by roots.
<b>Sq2 Intact</b>  Aggregates easy to break with one hand	A mixture of porous, rounded aggregates from 2mm - 7 cm. No clods present	Most aggregates are porous  Roots throughout the soil			 High aggregate porosity	 Aggregates when obtained are rounded, very fragile, crumble very easily and are highly porous.
<b>Sq3 Firm</b>  Most aggregates break with one hand	A mixture of porous aggregates from 2mm - 10 cm; less than 30% are <1 cm. Some angular, non-porous aggregates (clods) may be present	Macropores and cracks present.  Porosity and roots both within aggregates.			 Low aggregate porosity	 Aggregate fragments are fairly easy to obtain. They have few visible pores and are rounded. Roots usually grow through the aggregates.
<b>Sq4 Compact</b>  Requires considerable effort to break aggregates with one hand	Mostly large > 10 cm and sub-angular non-porous; horizontal/platy also possible; less than 30% are <7 cm	Few macropores and cracks  All roots are clustered in macropores and around aggregates			 Distinct macropores	 Aggregate fragments are easy to obtain when soil is wet, in cube shapes which are very sharp-edged and show cracks internally.
<b>Sq5 Very compact</b>  Difficult to break up	Mostly large > 10 cm, very few < 7 cm, angular and non-porous	Very low porosity. Macropores may be present. May contain anaerobic zones. Few roots, if any, and restricted to cracks			 Grey-blue colour	 Aggregate fragments are easy to obtain when soil is wet, although considerable force may be needed. No pores or cracks are visible usually.



# Benefits of Good Soil Structure

- **Good structure improves aeration & reduces waterlogging**
  - easier for roots to access nutrients
  - leaching of nutrients less likely
- **Good structure reduces compaction**
  - more extensive root system
  - better water & nutrient uptake
- **Good structure reduces droughtiness**
  - improves nutrient uptake

# Benefits of soil organic matter

- Develops and maintains soil structure
- Supplies mineral nutrients
- Increases water holding capacity
- Retains nutrients that might be leached out
- Increases availability of micronutrients to plants
- Substrate for soil organisms
- Darkens colour - increases rate of warming

# Structure-forming processes

- **Activity of roots and soil organisms especially earthworms**
  - mixing, cementing, transforming
  - needs organic matter
- **Wetting & drying**
  - swelling & shrinkage
- **Freezing & thawing**
- ***Organic matter is key to structure formation and maintenance***



# Topsoil structures

**Well structured  
sandy soil**



**Well structured  
clay soil**



**Compact  
sandy soil**



**Compact  
clay soil**



# Soil Compaction

# Main causes of compaction


- **Working / Cultivating / Grazing in wet conditions**
- **Over-cultivation**
- **Continuous cultivation**
- **Heavy machinery**
- **Over-grazing**

# Effects of Compaction




**FARM  
ADVISORY  
SERVICE**


**UNDISTURBED  
SOIL**



**COMPACTED  
SOIL**



**Soil Solid Space**




**Soil Pore Space**





CONSULTING

# Compaction Reduces infiltration and Increases surface run-off





# Rooting in compacted soils



# Soil structure is affected by management

- **Compaction**



- **Poaching**

Image: Farmers Weekly



- **Waterlogging**



**FARM  
ADVISORY  
SERVICE**



The European Agricultural Fund  
for Rural Development  
Europe investing in rural areas




Scottish Government  
Riaghaltas na h-Alba  
gov.scot





# Zone of Compaction



FARM  
ADVISORY  
SERVICE



# Compaction and soil moisture



Wheel traffic compaction. The depth of compaction increases with increasing equipment weight (axle load) or increasing moisture condition.  
(Adapted from Soehne, 1958. Journ. of Agr. Eng.)

Source: University of Minnesota Extension Publication WW-03115; Available on-line at:  
<http://www.extension.umn.edu/distribution/cropsystems/components/3115s01.html#section1>

# Tyres and Compaction



FARM  
ADVISORY  
SERVICE



**Spot the difference: Trailer with 11 tonne  
payload running on  
500/60R22.5 (left)  
385/65R22.5 (right)**





# Tyres and Compaction (2)



**FARM  
ADVISORY  
SERVICE**



The European Agricultural Fund  
for Rural Development  
Europe investing in rural areas



Scottish Government  
Riaghaltas na h-Alba  
gov.scot



# Tyres and Compaction (3)




FARM  
ADVISORY  
SERVICE



# Tyres and Compaction (3)



**FARM  
ADVISORY  
SERVICE**



## Compaction Increases with Depth



# Extreme problems





# Dealing with compaction

- Avoid compacting the soil in the first place (Prevention)
- Change management systems to protect soil
- Make the soil more resistant to compaction
- Protect the soil against raindrop impact - protects soil structure
- Eradicate the compaction (Cure)

# Remediation of poaching, shallow compaction



**FARM  
ADVISORY  
SERVICE**



[www.sumo1.com](http://www.sumo1.com)

# Shallow Compaction



**FARM  
ADVISORY  
SERVICE**



Pasture Harrow with Grass Seeder



Pasture Harrow





# Grassland Surface Spikers



FARM  
ADVISORY  
SERVICE



Grassland spiker

Effect of surface spiking



Roller spiker with grass seeder  
and frame for extra weight

Spiker with water tank for extra weight

# Grassland Sward lifters



FARM  
ADVISORY  
SERVICE



Pre-cutting Disc and Closer leg spacing



Roller for depth control and break back legs  
to reduce bringing stones to the surface



Spiked roller to help aerate surface



Roller to level surface following treatment



Scottish Government  
Riaghaltas na h-Alba  
gov.scot



# Sub Soilers



FARM  
ADVISORY  
SERVICE



# Subsoiling


- Some soils benefit from subsoiling
- Subsoiling aims to loosen the soil and allow water to flow more freely through it
- Can be effective in soils of low clay content or stony soils where mole drains would not work



# Subsoil shatter



FARM  
ADVISORY  
SERVICE



# Remediation of subsoil compaction and pans

- Make fissures through the layer with minimal soil break up and mixing.
- This creates paths for drainage and root movement while keeping the support capacity of the compacted layer



# When to subsoil

- Only when necessary - check the subsoil for compaction
- When the subsoil is brittle i.e. not too dry or too wet
- Late summer subsoiling is generally best in terms of land access and soil suitability
- Spring subsoiling gives the longest benefit if done in the correct conditions



**FARM  
ADVISORY  
SERVICE**

# Land Drainage

# Main Drainage Problems

- **Surface water**
- **Ground water**
- **Springs**




# Problem type and occurrence

- During the late 1970s the various drainage problems were broken down into the following types,

<b>Drainage Problem</b>	<b>Scotland as a Whole</b>  <b>% of problems</b>
<b>Water Table</b>	25
<b>Impermeable Subsoil</b>	20
<b>Springs</b>	12
<b>Failure of Old Drains</b>	39
<b>Other</b>	4

# Water Pathways



# Waterlogging

- Reduces crop yield
  - low nutrients, toxins, oxygen deficiency etc
- Affects soil management, e.g.
  - cultivation machinery choice
  - cultivation timing
  - cultivation energy input (number of passes required)
- Reduces access to the field
- Reduces optimum timing for harvest without causing compaction damage

# Benefits of Good Drainage

- Improved root growth
- Better crop and grass yields
- Better animal health – reduces risk of some parasites and diseases
- Less surface run-off (diffuse pollution)
- Less soil damage
- Longer utilisation of fields



# Effect of poor drainage on yield (t/ha)



Freely drained    Poorly drained

Potato	40	15
Bean	10	2
Carrot	40	5

# How do you know when a soil has poor drainage?

- Water lies on the surface
- Water can be seen in a soil pit
- Roots are brown and shallow
- Dull grey colours (rusty or multi-coloured)
- Mottled colours in subsoil
- “Sour” smell
- Unrotted manure or crop residues


# Affects of Poor Drainage

- Reduces crop yield - low nutrients, toxins, oxygen deficiency etc.
- Encourages poor vegetation – rushes, buttercup
- Affects soil management - e.g. cultivations
- Reduces access to the field
- Increases animal health risks – e.g. Liver Fluke
- Wastes fertiliser
- Increases diffuse pollution


# Effect of drains on root growth



FARM  
ADVISORY  
SERVICE



**With drains**



**Waterlogged  
soil**

**Without drains**



# How do you Improve Drainage ?

- Investigate the site
- Identify the problems
- Prepare a plan
- Budget the plan
- Prioritise the solutions
- Carry out the work
- Record the work carried out

# Where do you start?

## Investigate the existing drainage scheme

- Clean ditches
- Exclude livestock where possible
- Clear pipe outfalls and culverts
- Repair burst pipes

# Drainage system components

- **Outfall**
  - where water leaves the drained area and enters a ditch, burn or river
- **Leader pipes**
  - larger pipe or ditch which collects water from many field drains and conducts it to the outfall
- **Field drains**
  - ditches
  - laterals - plastic or clay pipes

# New Drainage

- Drainage is expensive – prioritise areas to be drained
- Collaborate with neighbours where possible to maximise benefits
- Ditches lowest cost but take up land
- Pipes with gravel most expensive but take up least land




# Drainage Design

- Design for required outcome – allow for expansion at a later date
- Design from the outfall back
- Install ditches on boundaries where possible
- Minimise requirement for culverts – potential for blockage in the future.
- Install correctly sized pipes where required – use gravel if necessary
- If there are problems with ochre or running sand – install a bigger diameter pipe if practical

# Drainage of impermeable soils - surface water problem



FARM  
ADVISORY  
SERVICE




**Must** have gravel backfill to connect to drains

# Drainage of permeable soils - ground water problem



FARM  
ADVISORY  
SERVICE




No permeable  
backfill  
Necessary ?

# Drainage of soils - spring or seepage water problem



FARM  
ADVISORY  
SERVICE

## Drainage of soils - seepage water problem





# Drainage Maintenance

- Mark outfalls clearly.
- Clear outfalls on a regular basis (annual / bi annual).
- Clear ditches on a regular basis Clay soils every 3 to 5 years,  
Peat soils every 2 to 3 years sandy soils every 1 to 2 years.
- Keep trees, shrubs and bushes on the banks cut back every 3  
to 5 years **(Especially important on flood banks).**

# Drainage Maintenance (2)

- Check and clear culverts on an annually in late summer / early autumn in preparation for winter rainfall.
- Check flood banks every summer and after flood event for damage.
- Every 3 to 5 years check and repair culvert banks and crossing surface.
- Where flap valves are installed check on an annual basis that they are free to open and close before winter rains.
- Annually mark unusual wet areas on a plan and compare with drainage plans to identify areas that may need existing systems repaired or new drains installed.

# Any Questions?

