

# Recommended grass and clover varieties 2022-2023

National Advice Hub  
 T: 0300 323 0161  
 E: [advice@fas.scot](mailto:advice@fas.scot)  
 W: [www.fas.scot](http://www.fas.scot)

## Summary

- **The varieties listed overleaf are recommended for use in Scotland**
- **First choice varieties are highlighted by capitals**
- **Recently introduced first choice varieties are provisional ratings, pending further trials currently in progress**

## 1. Introduction

The agricultural industry in Scotland is co-operating in a scheme to ensure the continuation of the SRUC Recommended List of grass and clover varieties. The scheme, with the support of NFUS, AIC, SSTA and BSPB, involves a contribution for every kilogram of herbage seed sold.

Merchants participating in the scheme have exclusive access to the detailed SRUC information on herbage varieties. Participating merchants display the special SRUC logo opposite on seed bags, and promotional literature.

Within each grass species, varieties are listed in order of heading date, i.e. 50% ear emergence. This is the date when ears are seen on 50% of the fertile stems. These dates, relative to 1st May, give the Relative Ear Emergence (REE). Thus, in an average year, the early perennial ryegrass variety AberTorch (T) (REE 20) heads on the 20th May, while the late variety Foxtrot (REE 49) heads on 18th June, almost four weeks later. The actual heading dates vary according to season and altitude but the relative order of heading remains fairly constant. Perennial ryegrass varieties have the widest range of heading dates and are divided into three maturity groups – early, intermediate and late. The range within each group can be 12 days or more. Timothy varieties similarly are in three groups, cocksfoot has two groups, early and late, while Italian and hybrid ryegrasses are now each considered as one group. Within each species there is a close relationship between heading date and important characteristics such as seasonality of growth, herbage quality and persistency. The REE value is shown for the earliest and latest variety within each blocked grouping.



White clovers are listed in order of leaf size. The small leaved are prostrate types, persistent and suited to continuous grazing, while large leaved are more erect and better suited to cutting or rotational grazing. The leaf size, relative to Grasslands Huia, is shown for the smallest and largest within each group.

Red clovers are listed alphabetically within two flowering groups, early and late.

Tetraploid varieties are indicated by (T) after the name.

For more detailed information on variety attributes and performance, and their use in seed mixtures, contact your local SAC Consulting adviser or grassland specialist, or a participating merchant.

Perennial Ryegrass	Early
<i>REE up to 30</i>	<i>REE</i>
ANACONDA (T)	18
ABERTORCH (T)	20
GENESIS	23
MOYOLA	25
KILREA	28
BARWAVE (T) (new)	28
Kilian	
Glasker	

Perennial Ryegrass	Inter
<i>REE from 31-45</i>	<i>REE</i>
MALONE (T)	31
Solomon	
FINTONA (T)	32
BOYNE	
SEAGOE (T)	
STRANGFORD	35
RACCOON (new)	35
RAMORE(T)	
GALGORM	36
ABERCLYDE (T)	
Aston Conqueror	
Ritchie (T)	
NIFTY	
MOIRA	38
Glenariff	
Arsenal	
Fennema	
ABERWOLF	40
ABERZEUS	
Arelia	
Indra	
Rodrigo	
ABERMAGIC	42
Copland	
GOSFORD	
CARLAND (T)	
DIWAN (T)	
AGASKA	
ABERGREEN	
DUNLUCE (T)	
ABERSPEY (T)	
CALEDON (T)	
DIORAMA (T)	
Orion (T)	
GUSTO	
PENSEL (T)	44

Perennial Ryegrass	Late
<i>REE over 45</i>	<i>REE</i>
WETHERBY	46
BALLINTOY (T)	
BIJOU (T)	
Charisma (T)	
CALLAN	
BALLYVOY	
ABERTEST	
Delphin (T)	
DRIFT (T)	
GLENFIELD (T)	
GRACEHILL (T)	
ALFONSO (T)	
DUNDRUD	
MEIDUNO (T)	
Weldone (T)	
ABERAVON	47
Oakpark	
Lathorn	
Hurricane (T)	
ABERGAIN (T)	
Dundrum (T)	
KILLYLEA (T)	
TODDINGTON	49
Novello (T)	
ASPECT (T)	
NASHOTA (T)	
NAVAN (T)	
Romark	
CLANRYE	
Polim (T)	
DRUMBO	
CROSSGAR (new)	
ABERBITE (T)	
THEGN (T)	
TWYMAX (T)	
ABERBANN	
Aston Princess (T)	
Bocage (T)	
ASTONCHIEFTAIN	52
SWAN	
GLENROCK	
TIMUCO (new)	
KINTYRE (T)	
Xenon (T)	
Fornido (T)	
ABERPLENTIFUL (T)	
Cabriolet (T)	
DUNLOY (T)	
Delika	
Solas (T)	
Ideal (T)	
ABERCHOICE	55
ABERLEE	
EVOCATIVE	
ABERDON (new)	58
Cancan	
Dromore	
BOWIE	62

Italian Ryegrass	
Fabio (T)	28
DORIKE (T)	29
Barmega (T)	
Inducer	
Barmultra II (T)	
GEMINI (T)	
Hunter	
YACHT (T)	
Bartissimo	
Salome (T)	
MERIBEL	32
Gizi (T)	
Fox	
Muriello	
Ligrande	
Itaka	
BARIMAX (T)	
ALAMO	
MESSINA (T)	
Pinaco	
Lemtal RvP	35
MELPRIMO	
DAVINCI	
JAVORIO	
BELLUNA	
DOLORES	

### Hybrid Ryegrass

Abersheen (T)	24
ABERECHO (T)	27
Solid (T)	
Enduro (T)	
Drumlin (T)	
ASTONCRUSADER (T)	32
HYMER (T)	
PIROL	
ABEREDGE (T)	
ABEREVE (T)	34
Scapino (T)	
BARCLAMP	39

### Timothy

Early

<i>REE up to 55</i>	<i>REE</i>
Odenwalder	45
SCOTS	51
Presto	
DOLINA	
COMER	
PROMESSE	
Erecta RvP	
COMTAL	55
<b>REE 56-61</b>	<b>Inter</b>
Moverdi	57
BARONAISE	58
Motim	
<b>REE over 61</b>	<b>Late</b>

### Cocksfoot

Early

<i>REE up to 28</i>	<i>REE</i>
Dactus 24	
ABERTOP 28	
<b>REE over 28</b>	<b>Late</b>
SPARTA 29	
PRAIRIAL	
Cambria	
LIDACTA 31	

### Festulolium

AberNiche	37
-----------	----

### White Clover

#### Small

Aberace	41
Galway	
ABER S184	70
GRASSLANDS DEMAND	
ABERPEARL	
Avalon	
RIVENDEL	82

#### Medium

Saracen	
CRUSADER 85	
ABERHERALD	
Grasslands Bounty	
IONA	
Grasslands Tribute	
Coolfin	
ABERDAI	
ABERSWAN	
Grasslands Huia	
BUDDY	
Menna	
MERWI	104

#### Large

KATY	110
MAKURI	
AberSirius	
VIOLIN	
Reisling	
ALICE	
BARBLANCA	
DUBLIN	
Klondike	
ARAN	159
BRIANNA	191

### Red Clover

#### Early

AberChianti	
AberClaret	
Fearga (new)	
Merula	
Milvus	
Amos (T)	
Magellan (T)	
Diplomat	
Global	
Lemmon	
Merviot	
Atlantis (T)	
Avisto	
Ganymed (new)	
Harmonie	
Hegemon	
Metis	
Sinope	

#### Late

Altaswede	
Britta	



**Authors:**

D Lawson, Grassland Specialist  
SRUC, Sandpiper House, Ruthvenfield Road, Inveralmond Ind. Estate, Perth, PH1 3EE  
01738 636611 / email: david.lawson@sruc.ac.uk

W Harrison  
SRUC, JF Niven Building, Auchincruive, Ayr, KA6 5HW

G Carr  
SRUC, Ferguson Building, Craibstone Estate, Aberdeen, AB21 9YA